

List of articles - Rubber-Metal-Buffers conical

Lohmann GmbH

Bühlmattstrasse 7

6045 Meggen / Switzerland

Tel. +41 41 377 41 14

info@silentblock.ch | info@silentblock.de

www.silentblock.ch | www.silentblock.de



Lohmann - part no.	Diameter	Height	x = available		Type D means with bolt / Type E means with inner thread
			Type D	Type E	Thread x standard bolt length
LGK 008007 / Type / thread / hardness	8	7	x	x	M4 x 10
LGK 012012 / Type / thread / hardness	12	12	x	x	M4 x 10
LGK 014005 / Type / thread / hardness	14	5	x		M4 x 10
LGK 014006 / Type / thread / hardness	14	6	x	x	M4 x 10
LGK 015008 / Type / thread / hardness	15	8	x	x	M4 x 10
LGK 015009 / Type / thread / hardness	15	9	x	x	M4 x 10
LGK 015010 / Type / thread / hardness	15	10	x	x	M4 x 10
LGK 015012 / Type / thread / hardness	15	12	x	x	M4 x 10
LGK 020013 / Type / thread / hardness	20	13	x	x	M6 x 18
LGK 020014 / Type / thread / hardness	20	14	x	x	M6 x 18
LGK 020015 / Type / thread / hardness	20	15	x	x	M6 x 18
LGK 020016 / Type / thread / hardness	20	16	x	x	M6 x 18
LGK 020017 / Type / thread / hardness	20	17	x	x	M6 x 18
LGK 022008 / Type / thread / hardness	22	8	x		M6 x 18

Lohmann - part no.	Diameter	Height	x = available		Type D means with bolt / Type E means with inner thread
			Type D	Type E	Thread x standard bolt length
LGK 022018 / Type / thread / hardness	22	18	x	x	M6 x 18
LGK 025005 / Type / thread / hardness	25	5	x		M6 x 18
LGK 025012 / Type / thread / hardness	25	12	x	x	M6 x 18
LGK 025014 / Type / thread / hardness	25	14	x	x	M6 x 18
LGK 025015 / Type / thread / hardness	25	15	x	x	M6 x 18
LGK 025017 / Type / thread / hardness	25	17	x	x	M6 x 18
LGK 025020 / Type / thread / hardness	25	20	x	x	M6 x 18
LGK 025022 / Type / thread / hardness	25	22	x	x	M6 x 18
LGK 025028 / Type / thread / hardness	25	28	x	x	M6 x 18
LGK 025035 / Type / thread / hardness	25	35	x	x	M6 x 18
LGK 026024 / Type / thread / hardness	26	24	x	x	M6 x 18
LGK 028017 / Type / thread / hardness	28	17	x	x	M6 x 18
LGK 030013 / Type / thread / hardness	30	13	x	x	M8 x 23
LGK 030015 / Type / thread / hardness	30	15	x	x	M8 x 23
LGK 030020 / Type / thread / hardness	30	20	x	x	M8 x 23
LGK 030025 / Type / thread / hardness	30	25	x	x	M8 x 23
LGK 030028 / Type / thread / hardness	30	28	x	x	M8 x 23
LGK 030035 / Type / thread / hardness	30	35	x	x	M8 x 23
LGK 030040 / Type / thread / hardness	30	40	x	x	M8 x 23
LGK 032022 / Type / thread / hardness	32	22	x	x	M8 x 23
LGK 035040 / Type / thread / hardness	35	40	x	x	M8 x 23
LGK 037023 / Type / thread / hardness	37	23	x	x	M8 x 23

Lohmann - part no.	Diameter	Height	x = available		Type D means with bolt / Type E means with inner thread
			Type D	Type E	Thread x standard bolt length
LGK 038035 / Type / thread / hardness	38	35	x	x	M10 x 28
LGK 040025 / Type / thread / hardness	40	25	x	x	M8 x 23
LGK 040030 / Type / thread / hardness	40	30	x	x	M8 x 23
LGK 043035 / Type / thread / hardness	43	35	x	x	M10 x 28
LGK 043050 / Type / thread / hardness	43	50	x	x	M10 x 28
LGK 043060 / Type / thread / hardness	43	60	x	x	M10 x 28
LGK 045021 / Type / thread / hardness	45	21	x	x	M10 x 28
LGK 050017 / Type / thread / hardness	50	17	x	x	M10 x 28
LGK 050018 / Type / thread / hardness	50	18	x	x	M10 x 28
LGK 050020 / Type / thread / hardness	50	20	x	x	M10 x 28
LGK 050030 / Type / thread / hardness	50	30	x	x	M10 x 28
LGK 050040 / Type / thread / hardness	50	40	x	x	M10 x 28
LGK 050050 / Type / thread / hardness	50	50	x	x	M10 x 28
LGK 050055 / Type / thread / hardness	50	55	x	x	M10 x 28
LGK 060040 / Type / thread / hardness	60	40	x	x	M10 x 28
LGK 070025 / Type / thread / hardness	70	25	x	x	M12 x 37
LGK 075025 / Type / thread / hardness	75	25	x	x	M12 x 37
LGK 080028 / Type / thread / hardness	80	28	x	x	M12 x 37
LGK 080030 / Type / thread / hardness	80	30	x	x	M12 x 37
LGK 125045 / Type / thread / hardness	125	45	x	x	M16 x 41