

Lohmann GmbH

Bühlmattstrasse 7

6045 Meggen / Switzerland

Tel. +41 41 377 41 14

info@silentblock.ch | info@silentblock.de

www.silentblock.ch | www.silentblock.de

List of articles - Rubber-Metal-Buffers cylindrical



Lohmann - part no.	diameter	height	x = available					Thread x standard bolt length		
			Type A	Type B	Type C	Type D	Type E	Type A (male/male), Type B (male/female), Type C (female/female), Type D (male), Type E (female)		
LGZ 004006 / Type / thread / hardness	4	6	x					M2 x 6		
LGZ 006006X / Type / thread / hardness	6	6,5	x				x	M3 x 6		
LGZ 006007 / Type / thread / hardness	6	7	x	x	x	x	x			
LGZ 006008 / Type / thread / hardness	6	8	x	x	x	x	x			
LGZ 006009 / Type / thread / hardness	6	9	x	x	x	x	x			
LGZ 006010 / Type / thread / hardness	6	10	x	x	x	x	x			
LGZ 006013 / Type / thread / hardness	6	13	x	x	x	x	x			
LGZ 006018 / Type / thread / hardness	6	18	x	x	x	x	x			
LGZ 007003 / Type / thread / hardness	7	3				x		M3 x 6		
LGZ 008005 / Type / thread / hardness	8	5	x				x	M3 x 6 or M4 x 12		
LGZ 008006 / Type / thread / hardness	8	6	x	x			x			x
LGZ 008008 / Type / thread / hardness	8	8	x	x	x		x			x
LGZ 008010 / Type / thread / hardness	8	10	x	x	x		x			x
LGZ 008013 / Type / thread / hardness	8	13	x	x	x		x			x

Lohmann - part no.	diameter	height	x = available					Thread x standard bolt length	
			Type A	Type B	Type C	Type D	Type E	Type A (male/male), Type B (male/female), Type C (female/female), Type D (male), Type E (female)	
LGZ 008015 / Type / thread / hardness	8	15	x	x	x	x	x		
LGZ 009007 / Type / thread / hardness	9	7	x			x		M4 x 12	
LGZ 009012 / Type / thread / hardness	9	12	x	x	x	x	x	M4 x 12	
LGZ 010005 / Type / thread / hardness	10	5	x			x		M3 x 6 or M4 x 12 or M5 x 15	
LGZ 010006 / Type / thread / hardness	10	6	x			x			
LGZ 010008 / Type / thread / hardness	10	8	x	x	x	x	x		
LGZ 010009 / Type / thread / hardness	10	9	x	x	x	x	x		
LGZ 010010 / Type / thread / hardness	10	10	x	x	x	x	x		
LGZ 010012 / Type / thread / hardness	10	12	x	x	x	x	x		
LGZ 010015 / Type / thread / hardness	10	15	x	x	x	x	x		
LGZ 010017 / Type / thread / hardness	10	17	x	x	x	x	x		
LGZ 010018 / Type / thread / hardness	10	18	x	x	x	x	x		
LGZ 010030 / Type / thread / hardness	10	30	x	x	x	x	x		
LGZ 011011 / Type / thread / hardness	11	11	x	x	x	x	x		M4 x 12 or M5 x 15
LGZ 011012 / Type / thread / hardness	11,2	12	x	x	x	x	x		
LGZ 011018 / Type / thread / hardness	11,2	18	x	x	x	x	x		
LGZ 012003X / Type / thread / hardness	12	3,5	x			x		M3 x 6 or M4 x 12 or M5 x 15	
LGZ 012005 / Type / thread / hardness	12	5	x			x			
LGZ 012006X / Type / thread / hardness	12	6,5	x			x	x		
LGZ 012007 / Type / thread / hardness	12	7	x			x	x		
LGZ 012010 / Type / thread / hardness	12	10	x	x	x	x	x		
LGZ 012012 / Type / thread / hardness	12	12	x	x	x	x	x		

Lohmann - part no.	diameter	height	x = available					Thread x standard bolt length	
			Type A	Type B	Type C	Type D	Type E	Type A (male/male), Type B (male/female), Type C (female/female), Type D (male), Type E (female)	
LGZ 012013X / Type / thread / hardness	12	13,5	x	x	x	x	x		
LGZ 012015 / Type / thread / hardness	12	15	x	x	x	x	x		
LGZ 012019 / Type / thread / hardness	12	19	x	x	x	x	x		
LGZ 012510 / Type / thread / hardness	12,5	10	x	x	x	x	x		
LGZ 012515 / Type / thread / hardness	12,5	15	x	x	x	x	x		
LGZ 013008 / Type / thread / hardness	13	8	x	x		x	x		M4 x 12 or M5 x 15 or M6 x 18
LGZ 013010 / Type / thread / hardness	13	10	x	x		x	x		
LGZ 013012 / Type / thread / hardness	13	12	x	x	x	x	x		
LGZ 013013 / Type / thread / hardness	13	13	x	x	x	x	x		
LGZ 013020 / Type / thread / hardness	13	20	x	x	x	x	x		
LGZ 013026 / Type / thread / hardness	13	26	x	x	x	x	x		
LGZ 015003X / Type / thread / hardness	15	3,5	x			x		M3 x 6 or M4 x 12 or M5 x 15 or M6 x 18 or M8 x 23	
LGZ 015004 / Type / thread / hardness	15	4	x			x			
LGZ 015005 / Type / thread / hardness	15	5	x			x			
LGZ 015006 / Type / thread / hardness	15	6	x			x	x		
LGZ 015007 / Type / thread / hardness	15	7	x			x	x		
LGZ 015007X / Type / thread / hardness	15	7,5	x	x		x	x		
LGZ 015008 / Type / thread / hardness	15	8	x	x		x	x		
LGZ 015009 / Type / thread / hardness	15	9	x	x		x	x		
LGZ 015010 / Type / thread / hardness	15	10	x	x	x	x	x		
LGZ 015012 / Type / thread / hardness	15	12	x	x	x	x	x		
LGZ 015013 / Type / thread / hardness	15	13	x	x	x	x	x		

Lohmann - part no.	diameter	height	x = available					Thread x standard bolt length	
			Type A	Type B	Type C	Type D	Type E	Type A (male/male), Type B (male/female), Type C (female/female), Type D (male), Type E (female)	
LGZ 015015 / Type / thread / hardness	15	15	x	x	x	x	x		
LGZ 015018 / Type / thread / hardness	15	18	x	x	x	x	x		
LGZ 015020 / Type / thread / hardness	15	20	x	x	x	x	x		
LGZ 015025 / Type / thread / hardness	15	25	x	x	x	x	x		
LGZ 015028 / Type / thread / hardness	15	28	x	x	x	x	x		
LGZ 015030 / Type / thread / hardness	15	30	x	x	x	x	x		
LGZ 016007 / Type / thread / hardness	16	7	x			x	x	M4 x 12 or M5 x 15 or M6 x 18	
LGZ 016015 / Type / thread / hardness	16	15	x	x	x	x	x		
LGZ 016018 / Type / thread / hardness	16	18	x	x	x	x	x		
LGZ 016020 / Type / thread / hardness	16	20	x	x	x	x	x		
LGZ 017009 / Type / thread / hardness	17	9	x	x		x	x	M6 x 18	
LGZ 018005 / Type / thread / hardness	18	5,7	x			x		M5 x 15 or M6 x 18	
LGZ 018006 / Type / thread / hardness	18	6	x			x			
LGZ 018007X / Type / thread / hardness	18	7,5	x	x		x			
LGZ 018008 / Type / thread / hardness	18	8,1	x	x		x			
LGZ 018008X / Type / thread / hardness	18	8,5	x	x		x			
LGZ 018010 / Type / thread / hardness	18	10	x	x		x	x		
LGZ 018013 / Type / thread / hardness	18	13	x	x	x	x	x		
LGZ 018014 / Type / thread / hardness	18	14	x	x	x	x	x		
LGZ 018015 / Type / thread / hardness	18	15	x	x	x	x	x		
LGZ 019006 / Type / thread / hardness	19	6				x		M6 x 18	
LGZ 019020 / Type / thread / hardness	19	20	x	x	x	x	x		

Lohmann - part no.	diameter	height	x = available					Thread x standard bolt length	
			Type A	Type B	Type C	Type D	Type E	Type A (male/male), Type B (male/female), Type C (female/female), Type D (male), Type E (female)	
LGZ 019520 / Type / thread / hardness	19,5	20	x	x	x	x	x		
LGZ 020005 / Type / thread / hardness	20	5				x		M4 x 12 or M5 x 15 or M6 x 18 or M8 x 23 or M10 x 28	
LGZ 020006 / Type / thread / hardness	20	6				x			
LGZ 020007 / Type / thread / hardness	20	7				x			
LGZ 020008 / Type / thread / hardness	20	8	x			x			
LGZ 020008X / Type / thread / hardness	20	8,5	x			x			
LGZ 020009 / Type / thread / hardness	20	9	x	x		x			
LGZ 020010 / Type / thread / hardness	20	10	x	x		x	x		
LGZ 020011 / Type / thread / hardness	20	11	x	x	x	x	x		
LGZ 020012 / Type / thread / hardness	20	12	x	x	x	x	x		
LGZ 020013 / Type / thread / hardness	20	13	x	x	x	x	x		
LGZ 020013X / Type / thread / hardness	20	13,5	x	x	x	x	x		
LGZ 020015 / Type / thread / hardness	20	15	x	x	x	x	x		
LGZ 020017 / Type / thread / hardness	20	17	x	x	x	x	x		
LGZ 020018 / Type / thread / hardness	20	18	x	x	x	x	x		
LGZ 020018X / Type / thread / hardness	20	18,5	x	x	x	x	x		
LGZ 020020 / Type / thread / hardness	20	20	x	x	x	x	x		
LGZ 020022 / Type / thread / hardness	20	22	x	x	x	x	x		
LGZ 020023 / Type / thread / hardness	20	23	x	x	x	x	x		
LGZ 020025 / Type / thread / hardness	20	25	x	x	x	x	x		
LGZ 020030 / Type / thread / hardness	20	30	x	x	x	x	x		
LGZ 020040 / Type / thread / hardness	20	40	x	x	x	x	x		

Lohmann - part no.	diameter	height	x = available					Thread x standard bolt length	
			Type A	Type B	Type C	Type D	Type E	Type A (male/male), Type B (male/female), Type C (female/female), Type D (male), Type E (female)	
LGZ 020060 / Type / thread / hardness	20	60	x	x	x	x	x		
LGZ 023008 / Type / thread / hardness	23	8				x			
LGZ 025008 / Type / thread / hardness	25	8	x			x		M4 x 12 or M5 x 15 or M6 x 18 or M8 x 23 or M10 x 28	
LGZ 025010 / Type / thread / hardness	25	10	x	x		x	x		
LGZ 025012 / Type / thread / hardness	25	12	x	x		x	x		
LGZ 025013 / Type / thread / hardness	25	13	x	x		x	x		
LGZ 025014 / Type / thread / hardness	25	14	x	x		x	x		
LGZ 025015 / Type / thread / hardness	25	15	x	x	x	x	x		
LGZ 025017 / Type / thread / hardness	25	17	x	x	x	x	x		
LGZ 025018 / Type / thread / hardness	25	18	x	x	x	x	x		
LGZ 025019 / Type / thread / hardness	25	19	x	x	x	x	x		
LGZ 025020 / Type / thread / hardness	25	20	x	x	x	x	x		
LGZ 025022 / Type / thread / hardness	25	22	x	x	x	x	x		
LGZ 025025 / Type / thread / hardness	25	25	x	x	x	x	x		
LGZ 025027 / Type / thread / hardness	25	27	x	x	x	x	x		
LGZ 025028 / Type / thread / hardness	25	28	x	x	x	x	x		
LGZ 025030 / Type / thread / hardness	25	30	x	x	x	x	x		M4 x 12 or M5 x 15 or M6 x 18 or M8 x 23 or M10 x 28
LGZ 025035 / Type / thread / hardness	25	35	x	x	x	x	x		
LGZ 025040 / Type / thread / hardness	25	40	x	x	x	x	x		
LGZ 025050 / Type / thread / hardness	25	50	x	x	x	x	x		
LGZ 026022 / Type / thread / hardness	26	22	x	x	x	x	x		M6 x 18
LGZ 030006 / Type / thread / hardness	30	6				x			

Lohmann - part no.	diameter	height	x = available					Thread x standard bolt length	
			Type A	Type B	Type C	Type D	Type E	Type A (male/male), Type B (male/female), Type C (female/female), Type D (male), Type E (female)	
LGZ 030007 / Type / thread / hardness	30	7				X		M5 x 15 or M6 x 18 or M8 x 23 or M10 x 28 or M12 x 37	
LGZ 030008 / Type / thread / hardness	30	8				X			
LGZ 030010 / Type / thread / hardness	30	10	X	X		X	X		
LGZ 030012 / Type / thread / hardness	30	12	X	X		X	X		
LGZ 030013 / Type / thread / hardness	30	13	X	X		X	X		
LGZ 030015 / Type / thread / hardness	30	15	X	X	X	X	X		
LGZ 030016 / Type / thread / hardness	30	16	X	X	X	X	X		
LGZ 030017 / Type / thread / hardness	30	17	X	X	X	X	X		
LGZ 030018 / Type / thread / hardness	30	18	X	X	X	X	X		
LGZ 030020 / Type / thread / hardness	30	20	X	X	X	X	X		
LGZ 030022 / Type / thread / hardness	30	22	X	X	X	X	X		
LGZ 030025 / Type / thread / hardness	30	25	X	X	X	X	X		
LGZ 030027 / Type / thread / hardness	30	27	X	X	X	X	X		
LGZ 030028 / Type / thread / hardness	30	28	X	X	X	X	X		
LGZ 030030 / Type / thread / hardness	30	30	X	X	X	X	X		
LGZ 030035 / Type / thread / hardness	30	35	X	X	X	X	X		
LGZ 030036 / Type / thread / hardness	30	36	X	X	X	X	X		
LGZ 030040 / Type / thread / hardness	30	40	X	X	X	X	X		
LGZ 030042 / Type / thread / hardness	30	42	X	X	X	X	X		
LGZ 030045 / Type / thread / hardness	30	45	X	X	X	X	X		
LGZ 030050 / Type / thread / hardness	30	50	X	X	X	X	X		
LGZ 030060 / Type / thread / hardness	30	60	X	X	X	X	X		

Lohmann - part no.	diameter	height	x = available					Thread x standard bolt length	
			Type A	Type B	Type C	Type D	Type E	Type A (male/male), Type B (male/female), Type C (female/female), Type D (male), Type E (female)	
LGZ 030080 / Type / thread / hardness	30	80	x	x	x	x	x		
LGZ 033012 / Type / thread / hardness	33	12				x		M6 x 18	
LGZ 035012 / Type / thread / hardness	35	12				x		M6 x 18 or M8 x 23 or M10 x 28	
LGZ 035020 / Type / thread / hardness	35	20	x	x	x	x	x		
LGZ 035025 / Type / thread / hardness	35	25	x	x	x	x	x		
LGZ 035030 / Type / thread / hardness	35	30	x	x	x	x	x		
LGZ 035040 / Type / thread / hardness	35	40	x	x	x	x	x		
LGZ 035045 / Type / thread / hardness	35	45	x	x	x	x	x		
LGZ 040006 / Type / thread / hardness	40	6				x		M5 x 15 or M6 x 18 or M8 x 23 or M10 x 28 or M12 x 37	
LGZ 040010 / Type / thread / hardness	40	10	x			x	x		
LGZ 040015 / Type / thread / hardness	40	15	x	x	x	x	x		
LGZ 040017 / Type / thread / hardness	40	17	x	x	x	x	x		
LGZ 040020 / Type / thread / hardness	40	20	x	x	x	x	x		
LGZ 040025 / Type / thread / hardness	40	25	x	x	x	x	x		
LGZ 040027 / Type / thread / hardness	40	27	x	x	x	x	x		
LGZ 040028 / Type / thread / hardness	40	28	x	x	x	x	x		
LGZ 040030 / Type / thread / hardness	40	30	x	x	x	x	x		
LGZ 040034 / Type / thread / hardness	40	34	x	x	x	x	x		
LGZ 040035 / Type / thread / hardness	40	35	x	x	x	x	x		
LGZ 00038 / Type / thread / hardness	40	38	x	x	x	x	x		
LGZ 040040 / Type / thread / hardness	40	40	x	x	x	x	x		
LGZ 040045 / Type / thread / hardness	40	45	x	x	x	x	x		

Lohmann - part no.	diameter	height	x = available					Thread x standard bolt length	
			Type A	Type B	Type C	Type D	Type E	Type A (male/male), Type B (male/female), Type C (female/female), Type D (male), Type E (female)	
LGZ 040050 / Type / thread / hardness	40	50	x	x	x	x	x	M5 x 15 or M6 x 18 or M8 x 23 or M10 x 28 or M12 x 37	
LGZ 040055 / Type / thread / hardness	40	55	x	x	x	x	x		
LGZ 040060 / Type / thread / hardness	40	60	x	x	x	x	x		
LGZ 043045 / Type / thread / hardness	43	45	x	x	x	x	x	M8 x 23	
LGZ 045050 / Type / thread / hardness	45	50	x	x	x	x	x	M8 x 23	
LGZ 050007 / Type / thread / hardness	50	7				x		M5 x 15 or M6 x 18 or M8 x 23 or M10 x 28 or M12 x 37 or M16 x 43	
LGZ 050009 / Type / thread / hardness	50	9				x			
LGZ 050010 / Type / thread / hardness	50	10				x			
LGZ 050012 / Type / thread / hardness	50	12				x	x		
LGZ 050015 / Type / thread / hardness	50	15	x			x	x		
LGZ 050017 / Type / thread / hardness	50	17	x			x	x		
LGZ 050018 / Type / thread / hardness	50	18	x			x	x		
LGZ 050020 / Type / thread / hardness	50	20	x	x	x	x	x		
LGZ 050021 / Type / thread / hardness	50	21	x	x	x	x	x		
LGZ 050022 / Type / thread / hardness	50	22	x	x	x	x	x		
LGZ 050025 / Type / thread / hardness	50	25	x	x	x	x	x		
LGZ 050027 / Type / thread / hardness	50	27	x	x	x	x	x		
LGZ 050028 / Type / thread / hardness	50	28	x	x	x	x	x		
LGZ 050030 / Type / thread / hardness	50	30	x	x	x	x	x		
LGZ 050035 / Type / thread / hardness	50	35	x	x	x	x	x		
LGZ 050036 / Type / thread / hardness	50	36	x	x	x	x	x		
LGZ 050037 / Type / thread / hardness	50	37	x	x	x	x	x		

Lohmann - part no.	diameter	height	x = available					Thread x standard bolt length	
			Type A	Type B	Type C	Type D	Type E	Type A (male/male), Type B (male/female), Type C (female/female), Type D (male), Type E (female)	
LGZ 050037X / Type / thread / hardness	50	37,5	x	x	x	x	x	M5 x 15 or M6 x 18 or M8 x 23 or M10 x 28 or M12 x 37 or M16 x 43	
LGZ 050040 / Type / thread / hardness	50	40	x	x	x	x	x		
LGZ 050042 / Type / thread / hardness	50	42	x	x	x	x	x		
LGZ 050045 / Type / thread / hardness	50	45	x	x	x	x	x		
LGZ 050050 / Type / thread / hardness	50	50	x	x	x	x	x		
LGZ 050055 / Type / thread / hardness	50	55	x	x	x	x	x		
LGZ 050060 / Type / thread / hardness	50	60	x	x	x	x	x		
LGZ 050065 / Type / thread / hardness	50	65	x	x	x	x	x		
LGZ 050070 / Type / thread / hardness	50	70	x	x	x	x	x		
LGZ 050080 / Type / thread / hardness	50	80	x	x	x	x	x		
LGZ 055040 / Type / thread / hardness	55	40	x	x	x	x	x	M10 x 28	
LGZ 060015 / Type / thread / hardness	60	15	x			x	x	M6 x 18 or M8 x 23 or M10 x 28 or M12 x 37 or M16 x 43	
LGZ 060016 / Type / thread / hardness	60	16	x			x	x		
LGZ 060020 / Type / thread / hardness	60	20	x	x		x	x		
LGZ 060025 / Type / thread / hardness	60	25	x	x		x	x		
LGZ 060030 / Type / thread / hardness	60	30	x	x	x	x	x		
LGZ 060035 / Type / thread / hardness	60	35	x	x	x	x	x		
LGZ 060040 / Type / thread / hardness	60	40	x	x	x	x	x		
LGZ 060043 / Type / thread / hardness	60	43	x	x	x	x	x		
LGZ 060045 / Type / thread / hardness	60	45	x	x	x	x	x		
LGZ 060050 / Type / thread / hardness	60	50	x	x	x	x	x		
LGZ 060060 / Type / thread / hardness	60	60	x	x	x	x	x		

Lohmann - part no.	diameter	height	x = available					Thread x standard bolt length	
			Type A	Type B	Type C	Type D	Type E	Type A (male/male), Type B (male/female), Type C (female/female), Type D (male), Type E (female)	
LGZ 065035 / Type / thread / hardness	65	35	x	x	x	x	x	M10 x 28 or M12 x 37	
LGZ 070020 / Type / thread / hardness	70	20	x			x	x	M8 x 23 or M10 x 28 or M12 x 37 or M14 x 40 or M16 x 43	
LGZ 070025 / Type / thread / hardness	70	25	x	x		x	x		
LGZ 070030 / Type / thread / hardness	70	30	x	x	x	x	x		
LGZ 070035 / Type / thread / hardness	70	35	x	x	x	x	x		
LGZ 070040 / Type / thread / hardness	70	40	x	x	x	x	x		
LGZ 070042 / Type / thread / hardness	70	42	x	x	x	x	x		
LGZ 070045 / Type / thread / hardness	70	45	x	x	x	x	x		
LGZ 070050 / Type / thread / hardness	70	50	x	x	x	x	x		
LGZ 070055 / Type / thread / hardness	70	55	x	x	x	x	x		
LGZ 070060 / Type / thread / hardness	70	60	x	x	x	x	x		
LGZ 070069 / Type / thread / hardness	70	69	x	x	x	x	x		
LGZ 070070 / Type / thread / hardness	70	70	x	x	x	x	x		
LGZ 075009 / Type / thread / hardness	75	9	x			x	x		M8 x 23 or M10 x 28 or M12 x 37 or M14 x 40 or M16 x 43
LGZ 075015 / Type / thread / hardness	75	15	x			x	x		
LGZ 075020 / Type / thread / hardness	75	20	x	x		x	x		
LGZ 075025 / Type / thread / hardness	75	25	x	x		x	x		
LGZ 075028 / Type / thread / hardness	75	28	x	x	x	x	x		
LGZ 075030 / Type / thread / hardness	75	30	x	x	x	x	x		
LGZ 075035 / Type / thread / hardness	75	35	x	x	x	x	x		
LGZ 075040 / Type / thread / hardness	75	40	x	x	x	x	x		
LGZ 075045 / Type / thread / hardness	75	45	x	x	x	x	x		

Lohmann - part no.	diameter	height	x = available					Thread x standard bolt length	
			Type A	Type B	Type C	Type D	Type E	Type A (male/male), Type B (male/female), Type C (female/female), Type D (male), Type E (female)	
LGZ 075050 / Type / thread / hardness	75	50	x	x	x	x	x	M10 x 28 or M12 x 37 or M14 x 40 or M16 x 43	
LGZ 075052 / Type / thread / hardness	75	52	x	x	x	x	x		
LGZ 075055 / Type / thread / hardness	75	55	x	x	x	x	x		
LGZ 075060 / Type / thread / hardness	75	60	x	x	x	x	x		
LGZ 075065 / Type / thread / hardness	75	65	x	x	x	x	x		
LGZ 075070 / Type / thread / hardness	75	70	x	x	x	x	x		
LGZ 075100 / Type / thread / hardness	75	100	x	x	x	x	x		
LGZ 080017 / Type / thread / hardness	80	17	x			x	x		
LGZ 080018 / Type / thread / hardness	80	18	x	x		x	x		
LGZ 080030 / Type / thread / hardness	80	30	x	x	x	x	x		
LGZ 080040 / Type / thread / hardness	80	40	x	x	x	x	x		
LGZ 080050 / Type / thread / hardness	80	50	x	x	x	x	x		
LGZ 080055 / Type / thread / hardness	80	55	x	x	x	x	x		
LGZ 080060 / Type / thread / hardness	80	60	x	x	x	x	x		
LGZ 080065 / Type / thread / hardness	80	65	x	x	x	x	x		
LGZ 080070 / Type / thread / hardness	80	70	x	x	x	x	x		
LGZ 080075 / Type / thread / hardness	80	75	x	x	x	x	x		
LGZ 080080 / Type / thread / hardness	80	80	x	x	x	x	x		
LGZ 090060 / Type / thread / hardness	90	60	x	x	x	x	x		M12 x 37
LGZ 100025 / Type / thread / hardness	100	25	x			x	x		
LGZ 100030 / Type / thread / hardness	100	30	x	x		x	x		
LGZ 100035 / Type / thread / hardness	100	35	x	x	x	x	x		

Lohmann - part no.	diameter	height	x = available					Thread x standard bolt length	
			Type A	Type B	Type C	Type D	Type E	Type A (male/male), Type B (male/female), Type C (female/female), Type D (male), Type E (female)	
LGZ 100040 / Type / thread / hardness	100	40	x	x	x	x	x	M10 x 28 or M12 x 37 or M14 x 40 or M16 x 43 or M20 x 45	
LGZ 100045 / Type / thread / hardness	100	45	x	x	x	x	x		
LGZ 100050 / Type / thread / hardness	100	50	x	x	x	x	x		
LGZ 100055 / Type / thread / hardness	100	55	x	x	x	x	x		
LGZ 100060 / Type / thread / hardness	100	60	x	x	x	x	x		
LGZ 100065 / Type / thread / hardness	100	65	x	x	x	x	x		
LGZ 100070 / Type / thread / hardness	100	70	x	x	x	x	x		
LGZ 100075 / Type / thread / hardness	100	75	x	x	x	x	x		
LGZ 100080 / Type / thread / hardness	100	80	x	x	x	x	x		
LGZ 100100 / Type / thread / hardness	100	100	x	x	x	x	x		M10 x 28 or M12 x 37 or M14 x 40 or M16 x 43 or M20 x 45
LGZ 100160 / Type / thread / hardness	100	160	x	x	x	x	x		
LGZ 120080 / Type / thread / hardness	120	80	x	x	x	x	x	M16 x 43	
LGZ 125040 / Type / thread / hardness	125	40	x	x	x	x	x	M12 x 37 or M16 x 43	
LGZ 125055 / Type / thread / hardness	125	55	x	x	x	x	x		
LGZ 125060 / Type / thread / hardness	125	60	x	x	x	x	x		
LGZ 125070 / Type / thread / hardness	125	70	x	x	x	x	x		
LGZ 125075 / Type / thread / hardness	125	75	x	x	x	x	x		
LGZ 125090 / Type / thread / hardness	125	90	x	x	x	x	x		
LGZ 125095 / Type / thread / hardness	125	95	x	x	x	x	x		
LGZ 125100 / Type / thread / hardness	125	100	x	x	x	x	x		
LGZ 125125 / Type / thread / hardness	125	125	x	x	x	x	x		
LGZ 130040 / Type / thread / hardness	130	40	x	x	x	x	x	M16 x 43	

Lohmann - part no.	diameter	height	x = available					Thread x standard bolt length	
			Type A	Type B	Type C	Type D	Type E	Tye A (male/male), Type B (male/female), Type C (female/female), Type D (male), Type E (female)	
LGZ 150045 / Type / thread / hardness	150	45	x	x	x	x	x	M16 x 43 or M20 x 45	
LGZ 150050 / Type / thread / hardness	150	50	x	x	x	x	x		
LGZ 150055 / Type / thread / hardness	150	55	x	x	x	x	x		
LGZ 150060 / Type / thread / hardness	150	60	x	x	x	x	x		
LGZ 150075 / Type / thread / hardness	150	75	x	x	x	x	x		
LGZ 150100 / Type / thread / hardness	150	100	x	x	x	x	x		
LGZ 150120 / Type / thread / hardness	150	120	x	x	x	x	x		
LGZ 150150 / Type / thread / hardness	150	150	x	x	x	x	x		
LGZ 165075 / Type / thread / hardness	165	75	x	x	x	x	x	M16 x 43 or M20 x 45	
LGZ 200050 / Type / thread / hardness	200	50	x	x	x	x	x	M20 x 45 or M24 x 45	
LGZ 200100 / Type / thread / hardness	200	100	x	x	x	x	x		