

Lohmann GmbH

Bühlmattstrasse 7

6045 Meggen / Switzerland

Tel. +41 41 377 41 14

info@silentblock.ch | info@silentblock.de

www.silentblock.ch | www.silentblock.de

List of articles - Rubber-Metal-Rails



Lohmann - part no.	width	height	x = available		Standard length 2000 mm, other length and other measurements or special elements upon request
			one side steel (Type A)	both sides steel (Type B)	Standard-steelplate thickness
LSS 020030 / Type / steel / hardness	20	30	X	X	5
LSS 025025 / Type / steel / hardness	25	25	X	X	5 or 10
LSS 025030 / Type / steel / hardness	25	30	X	X	5 or 10
LSS 030020 / Type / steel / hardness	30	20	X	X	5
LSS 030030 / Type / steel / hardness	30	30	X	X	5 or 10
LSS 040020 / Type / steel / hardness	40	20	X	X	5
LSS 040030 / Type / steel / hardness	40	30	X	X	5 or 10
LSS 040040 / Type / steel / hardness	40	40	X	X	5 or 10
LSS 050030 / Type / steel / hardness	50	30	X	X	5 or 10
LSS 050040 / Type / steel / hardness	50	40	X	X	5 or 10
LSS 050050 / Type / steel / hardness	50	50	X	X	5 or 10
LSS 050060 / Type / steel / hardness	50	60	X	X	5 or 10
LSS 050070 / Type / steel / hardness	50	70	X	X	5 or 10
LSS 060020 / Type / steel / hardness	60	20	X	X	5 or 10

Lohmann - part no.	width	height	x = available		Standard length 2000 mm, other length and other measurements or special elements upon request
			one side steel (Type A)	both sides steel (Type B)	Standard-steelplate thickness
LSS 060030 / Type / steel / hardness	60	30	X	X	5 or 10
LSS 060040 / Type / steel / hardness	60	40	X	X	5 or 10
LSS 060050 / Type / steel / hardness	60	50	X	X	5 or 10
LSS 060060 / Type / steel / hardness	60	60	X	X	5 or 10
LSS 060070 / Type / steel / hardness	60	70	X	X	5 or 10
LSS 060080 / Type / steel / hardness	60	80	X	X	5 or 10
LSS 070030 / Type / steel / hardness	70	30	X	X	5 or 10
LSS 070040 / Type / steel / hardness	70	40	X	X	5 or 10
LSS 070050 / Type / steel / hardness	70	50	X	X	5 or 10
LSS 070060 / Type / steel / hardness	70	60	X	X	5 or 10
LSS 070070 / Type / steel / hardness	70	70	X	X	5 or 10
LSS 070080 / Type / steel / hardness	70	80	X	X	5 or 10
LSS 080040 / Type / steel / hardness	80	40	X	X	5 or 10
LSS 080045 / Type / steel / hardness	80	45	X	X	5 or 10
LSS 080060 / Type / steel / hardness	80	60	X	X	5 or 10
LSS 080080 / Type / steel / hardness	80	80	X	X	5 or 10
LSS 090045 / Type / steel / hardness	90	45	X	X	10 or 15
LSS 100040 / Type / steel / hardness	100	40	X	X	10 or 15
LSS 100050 / Type / steel / hardness	100	50	X	X	10 or 15
LSS 100060 / Type / steel / hardness	100	60	X	X	10 or 15
LSS 100070 / Type / steel / hardness	100	70	X	X	10 or 15
LSS 100080 / Type / steel / hardness	100	80	X	X	10 or 15

Lohmann - part no.	width	height	x = available		Standard length 2000 mm, other length and other measurements or special elements upon request
			one side steel (Type A)	both sides steel (Type B)	Standard-steelplate thickness
LSS 100090 / Type / steel / hardness	100	90	X	X	10 or 15
LSS 100100 / Type / steel / hardness	100	100	X	X	10 or 15
LSS 120045 / Type / steel / hardness	120	45	X	X	10 or 15
LSS 120050 / Type / steel / hardness	120	50	X	X	10 or 15
LSS 120060 / Type / steel / hardness	120	60	X	X	10 or 15
LSS 120070 / Type / steel / hardness	120	70	X	X	10 or 15
LSS 120080 / Type / steel / hardness	120	80	X	X	10 or 15
LSS 150050 / Type / steel / hardness	150	50	X	X	10 or 15
LSS 150060 / Type / steel / hardness	150	60	X	X	10 or 15
LSS 150070 / Type / steel / hardness	150	70	X	X	10 or 15
LSS 150080 / Type / steel / hardness	150	80	X	X	10 or 15
LSS 150090 / Type / steel / hardness	150	90	X	X	10 or 15
LSS 150100 / Type / steel / hardness	150	100	X	X	10 or 15
LSS 200060 / Type / steel / hardness	200	60	X	X	10 or 15
LSS 200080 / Type / steel / hardness	200	80	X	X	10 or 15
LSS 200100 / Type / steel / hardness	200	100	X	X	10 or 15